

UNCLASSIFIED	MASTER COPY	-	FOR REPI	RODUCTION F	rurposes 🕖
AD-A196 826 REPORT DOCUMENTATION PAGE					
Washenster 1	16. RESTRICTIVE	MARKINGS	16 -	<u> </u>	
Unclassified  2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION / AVAILABILITY OF REPORT			
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE		Approved for public release; distribution unlimited.			
4. PERFORMING ORGANIZATION REPORT NUMB	5. MONITORING ORGANIZATION REPORT NUMBER(S)  ARO 22374.13~CH				
6a. NAME OF PERFORMING ORGANIZATION University of New Orleans	6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MONITORING ORGANIZATION  U. S. Army Research Office			
6c ADDRESS (City, State, and ZIP Code) Chemistry Department University of New Orleans New Orleans, Louisiana 70148		7b. ADDRESS (City, State, and ZIP Code) P. O. Box 12211 Research Triangle Park, NC 27709-2211			
8a. NAME OF FUNDING/SPONSORING ORGANIZATION U. S. Army Research Office  8b. OFFICE SYMBOL (If applicable)		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER DAAG29-85-K-0038			
8c. ADDRESS (City, State, and ZIP Code)		10. SOURCE OF FUNDING NUMBERS			
P. O. Box 12211 Research Triangle Park, NC 27709-2211		PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.
11. TITLE (Include Security Classification) A Comparative Evaluation of Son	ne Ortho Directir	ng Groups fo	r Cubare		<b>-4</b>
12 PERSONAL AUTHOR(S) Keerthi Jayasuriya, Jack Alster, Peter Politzer					
13a. TYPE OF REPORT 13b. TIME COVERED FROM TO		14. DATE OF REPORT (Year, Month, Day) 15. PAGE COUNT			
16. SUPPLEMENTARY NOTATION  The view, opinions and/or findings contained in this report are thos of the author(s) and should not be construed as an official Department of the Army position of decision, unless so designated by other documentation.					
17 COSATI CODES	18. SUBJECT TERMS (C	ontinue on revers	e if necessary and	dentify by blo	ck number)
FIELD GROUP SUB-GROUP	1				
19. ABSTRACT (Continue on reverse if necessary	and identify by block n	umber)			_
ABSTRACT ON REPRINT  DTC  ELECTE  MAY 1 7 1988					
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT UNCLASSIFIED/UNLIMITED SAME AS	RPT. □ DTIC USERS		CURITY CLASSIFIC	ATION	
22a. NAME OF RESPONSIBLE INDIVIDUAL		226. TELEPHONE	Include Area Code	) 22c. OFFICE S	YMBOL
DD FORM 1473, 84 MAR 83 A	til exhausted. osolete.	SECURITY CLASSIFICATION OF THIS PAGE			

Reprinted from The Journal of Organic Chemistry, 1988, Vol. 53, page 677 Copyright © 1988 by the American Chemical Society and reprinted by permission of the copyright owner.

> A Comparative Evaluation of Some Ortho Directing Groups for Cubane

> > Keerthi Jayasuriya Jack Alster Peter Politzer

## A Comparative Evaluation of Some Ortho Directing Groups for Cubane

Keerthi Jayasuriya\*

Geo-Centers Corporation at ARDEC, Dover, New Jersey 07885

Jack Alster

U.S. Army Armament Research, Development and Engineering Center, Dover, New Jersey 07885

Peter Politzer

Chemistry Department, University of New Orleans, New Orleans, Louisiana 70148

Received April 17, 1987


The "ortho lithiation" technique has been widely used for the regiospecific substitution of electrophilic groups in both aromatic and nonaromatic systems. 1-6 This procedure is based upon the observation that certain functional groups X promote the lithiation of an adjacent ("ortho") carbon, which is then susceptible to electrophilic attack.

The role of the directing group X is believed to include (a) enhancement of the acidity of the  $\alpha$ -hydrogens, thus promoting its replacement by Li<sup>+</sup>, and (b) stabilization of the lithiated intermediate, in which the ortho carbon is

Gilman, H.; Morton, J. W. Org. React. (N.Y.) 1954, 8, 258.
 Gschwend, H. W.; Rodriguez, H. R. Org. React. (N.Y.) 1979, 26,1.
 Beak P.; Snieckus, V. Acc. Chem. Res. 1982, 15, 306.
 Eaton, P. E.; Castaldi, G. J. Am. Chem. Soc. 1985, 107, 724.
 Klumpp, G. W. Recl; J. R. Neth. Chem. Soc. 1986, 105, 1.
 Beak, P.; Meyers A. I. Acc. Chem. Res. 1986, 19, 356.

activated toward electrophilic attack by means of an interaction between X and the lithium.<sup>3,5,7</sup> Accordingly, it is anticipated that effective directing groups should be characterized by strong inductive electron-withdrawing tendencies and also by a capacity for coordinating with metals, for example, through lone pairs. Tertiary amide groups, for instance, have been found to be particularly good directing groups.5-9

Our objective in this work has been to carry out, by a computational procedure, comparative evaluation of several different functional groups in terms of their abilities to promote ortho substitution on cubane (1, a strained polyhedrane system). We have focused particularly upon the ortho-lithiated intermediate that is formed in each case, represented by structure 2a d.



The oxazoline and the trifluoromethyl groups (a and b. respectively) are known to be good directing agents.<sup>3</sup> CH<sub>3</sub> is not expected to show such activity and is included primarily to serve as a point of reference. It would be particularly interesting if NO2 should show signs of being an effective directing group, since this would have important implications for the synthesis of polynitro polyhedranes.

## Methods

We have computed optimized structures for the four molecules 2a-d, by using an ab initio self consistent field molecular orbital procedure (GAUSSIAN 82).10 Because of the size of the system being studied, the optimizations were carried out at the STO-3G level. (The structures will be provided for interested readers upon request.) These geometries were used to calculate the STO-5G molecular electrostatic potential of each system in the diagonal plane passing through the two substituted carbons.

The electrostatic potential that is created at any point  $\vec{r}$  in the space around a molecule by its nuclei and electrons is expressed rigorously by eq 1. Where  $Z_A$  is the charge

$$V(\vec{r}) = \sum_{A} \frac{Z_A}{|\vec{R}_A - \vec{r}|} - \int \frac{\rho(\vec{r}')d\vec{r}}{|\vec{r}' - \vec{r}|}$$
(1)

on nucleus A, located at  $\vec{R}_A$ , and  $\rho(\vec{r})$  is the electronic density function of the molecule, which we obtain computationally. The first term on the right side of eq 1 represents the contribution of the nuclei, while the second gives that of the electrons. Thus an approaching electrophile will tend initially to go to those regions in which  $V(\tilde{r})$ is negative, in which the effect of the electrons is dominant, and especially to those points at which  $V(\vec{r})$  reaches its most negative (minimum) values. The electrostatic potential is now widely used in interpreting and predicting molecular reactive properties. 11-13 It is important to note






Figure 1. Calculated electrostatic potential of 1-lithio-1-(2-oxazolinyl)cubane (2a) in a diagonal plane, as shown. Dashed contours correspond to negative potentials; the zero contour is shown. The magnitude of the other contours are in kcal/mol: -50.2, -37.6, -25.1, -12.5, -6.3, -3.1, -0.6, 3.1, 6.3, 31.4, 62.7, 314.0, 627.0. The locations and values of the minima are indicated.

that  $V(\vec{r})$  is a real physical property and can be determined experimentally as well as computationally.13

## Results and Discussion

In an earlier study,7 we presented the electrostatic potential of lithiocubane (2e) and pointed out the very unusual feature of a relatively strong negative region (minimum = -38 kcal/mol) associated with a carbon (the one that is lithiated). We showed further that when an amide is present on an adjacent carbon, it interacts with the lithium to stabilize the system. This interaction causes the lithium to shift somewhat toward the amide oxygen; the calculated Li-O separation is 1.80 Å, considerably less than the sum of the lithium and oxygen van der Waals radii, 3.3 Å.14 As a result, there is created a channel of strongly negative electrostatic potential, with a minimum of -83 kcal/mol, leading to the lithiated carbon. Thus the amide group clearly has the effect of activating the molecule toward electrophilic attack on an ortho carbon. (For a tertiary amide, the channel minimum was -85 kcal/mol.7)

Figure 1 shows that the situation in the case of 2lithio-1-(2-oxazolinyl)cubane (2a) is very similar to that described above for the amide directing groups. The lithium is shifted toward the oxazoline nitrogen (the Li-N separation is 1.86 Å, with the sum of the van der Waals radii being 3.4 Å),14 and there is again a strong negative channel leading to the lithiated carbon, with a minimum of -83 kcal/mol. In terms of these factors, then, 2-oxazoline a should be a good directing group, as indeed it is known to be.3

It is seen in Figure 1 that there are also other negative regions in 2a, in addition to that associated with the lithiated carbon. These can be attributed to the lone pairs of the oxazoline oxygen and nitrogen and also to the unsubstituted C-C bond. With regard to the latter, we have found that the C-C bonds in strained hydrocarbons in general, and also in some of their derivatives (e.g. 2a), have negative electrostatic potentials near their midpoints. 15-19

<sup>(8)</sup> Marsais, F.; Queguiner, G. Tetrahedron 1983, 39, 2009.
(9) Beak, P.; Brown, R. A. J. Org. Chem. 1982, 47, 34.
(10) Binkley, J. S.; Frisch, M.; Raghavachari, K.; DeFrees, D.; Schlegel, H. B.; Whiteside, R.; Fluder, E.; Pople, J. A.; GAUSSIAN-82, Release H.

<sup>(11)</sup> Scrocco, E.; Tomasi, J.; Adv. Quantum Chem. 1978 11, 116.
(12) Politzer, P.; Daiker, K. C. In The Force Concept in Chemistry: Deh. B. M., Ed. Van Nonstrand-Reinhold: New York, 1981; Chapter 6.

<sup>(13)</sup> Chemical Applications of Atomic and Molecular Electrostatic Potentials; Politzer, P., Truhlar, D. G., Eds.; Plenum: New York, 1981.
(14) Bondi, A. J. Phys. Chem. 1964, 68, 441.

<sup>(15)</sup> Politzer, P.; Domelsmith, L. N.; Sjoberg, P.; Alster, J. Chem. Phys.

Lett. 1982, 92, 366 (16) Politzer, P.; Domelsmith, L. N.; Abrahmsen, L. J. Phys. Chem.

<sup>(17)</sup> Politzer, P.; Jayasuriya, K.; Zilles, B. A. J. Am. Chem. Soc. 1985. 107, 121.



Figure 2. Calculated electrostatic potential of 2-lithio-1-(trifluoromethyl)cubane (2b) in a diagonal plane, as shown. Dashed contours correspond to negative potentials; the zero contour is shown. The magnitude of the other contours are in kcal/mol: -50.2, -37.6, -25.1, -12.5, -6.3, -3.1, -0.6, 3.1, 6.3, 31.4, 62.7, 314.0, 627.0. The locations and values of the minima are indicated.




Figure 3. Calculated electrostatic potential of 2-lithio-1-methylcubane (2c) in a diagonal plane, as shown. Dashed contours correspond to negative potentials: the zero contour is shown. The magnitude of the other contours are in kcal/mol: -12.5, -6.3, -3.1, -0.6, 3.1, 6.3, 31.4, 62.7, 314.0, 627.0. The locations and values of the minima are indicated.

These are fully consistent with the observed reactive behavior of these molecules toward electrophiles.

In the present context, the key feature of Figure 1 is the negative channel to the lithiated carbon. This represents an important aspect of the activation of the ortho carbon by the 2-oxazoline directing group. When the latter is replaced by CF<sub>3</sub> as the directing agent (structure 2b), this feature is modified to only a minor extent (Figure 2). The minimum near the ortho carbon is now -78 kcal/mol, which still corresponds to a very significant activation of this position toward electrophilic attack.

In marked constrast is the situation when CH<sub>3</sub> tries to take on the role of the directing group (2c). There is now no shifting of the lithium atom and no strongly negative channel to the ortho carbon (Figure 3); the minimum in



**Figure 4.** Calculated electrostatic potential of 2-lithio-1-nitrocubane (**2d**) in a diagonal plane, as shown. Dashed contours correspond to negative potentials; the zero contour is shown. The magnitude of the other contours are in kcal, mol: 37.6, 25.1, 12.5, -6.3, -3.1, -0.6, 3.1, 6.3, 31.4, 63.0, 314.0, 627.0. The locations and values of the minima are indicated.

that spatial region is now -33 kcal/mol. The picture is very much the same as that obtained earlier for lithiocubane. There is clearly no activation of the ortho position.

Finally, Figure 4 shows the electrostatic potential for 2-lithio-1-nitrocubane (2d). There is again an interaction between the two substituents; the lithium is only 1.76 Å from the oxygen, while the sum of the van der Waals radii is 3.3 Å. This produces a channel of negative potential to the lithiated (ortho) carbon, with a minimum of -68 kcal/mol (compared to -38 kcal/mol in that region for lithiocubane, without any second substituent). Thus NO<sub>2</sub> does definitely activate the ortho position toward electrophilic attack, although not as well as 2-oxazoline and CF<sub>3</sub>.

## Summary

We have carried out a computational assessment of the relative ortho directing powers of four different functional groups in terms of their tendencies to interact with an adjacent lithium substituent, thereby producing a channel of strongly negative electrostatic potential leading to the lithiated (ortho) carbon. In terms of the factors examined in this analysis, it appears that the nitro group should have at least a moderate ortho-directing capability.

Acknowledgment. We greatly appreciate very helpful discussions with Dr. Jane S. Murray. We also thank the U.S. Army Research Office for partial support of this work.

**Registry No. 2a**, 111976-24-0; **2b**, 111976-25-1; **2c**, 111976-26-2; **2d**, 111976-27-3;  $\mathrm{CF}_3$ , 2264-21-3;  $\mathrm{NO}_2$ , 10102-44-0;  $\mathrm{CH}_3$ , 2229-07-4; 2-oxazoline, 504-77-8.



<sup>(18)</sup> Politzer, P.; Jayasuriya, K. J. Mol. Struct. (THEOCHEM) 1986, 135, 245.

<sup>(19)</sup> Politzer, P.; Murray, J. S. In Reactivity from Ground-State Structure; Liebman, J., Greenberg, A., Eds.; VCH: Deerfield Beach, in press.